



RECOGNIZED AS THE PROMINENT
MANUFACTURER, TRADER & SUPPLIER

FOODTECH INDUSTRIES

Complete Solutions for Commercial Kitchen
& Bakery Equipments



Electric Baking Oven



Features Electric

- Top & Bottom Temperature Controller
- Heating by infrared Rays
- Auto Alarm
- Automatic Cutdown to keep the temperature constant
- Temperature can be set between 0-300°C

Model	Capacity	Power	Voltage	Dimension (mm)	Output (kg/h)	Weight (KG)
FTE-1D1 P	1 Deck 1 Tray	3.2 KW	220 V	930*630*400	10-15	40
FTE-2D P	2 Deck 2 Trays	6.4KW	220 V	930*630*700	15-25	70
FTE-1EB	1 Deck 1 Tray	3.2 KW	220 V	930*630*400	10-15	40
FTE-1K	1 Deck 2 Trays	6.3 KW	220 V/380 V	1235*830*500	28-57	78
FTE-2D4T	2 Deck 4 Trays	12.6 KW	380 V	1260*850*1240	57-114	200
FTE-3D6T	3 Deck 6 Trays	18.9 KW	380 V	1260*850*1670	85-160	188
FTE-3D9 T	3 Deck 9 Trays	24 KW	380 V	1655*850*1695	126-256	286
FTE-102DF	1 Deck 2 Trays With Proffer	9.4 kw	220 V	1212*850*1520	28-57	130
FTE- 204 DF	2 Deck 4 Trays With Proffer 10	16 kw	380V	1212*850*2080	57-114	250

Gas Baking Oven

Model	Capacity	Power	Voltage	Dimension (mm)	Output (kg/h)	Weight (KG)
FTD-101G	1 Deck 1 Tray	75 W	220 V/50/60HZ	1080*680*650	Dec-28	100
FTD-102G	1 Deck 2 Trays	75 W	220 V/50/60HZ	1395*965*710	28-57	180
FTD-204G	2 Deck 4 Trays	150 W	220 V/50/60HZ	1395*965*1395	57-114	280
FTD-306G	3 Deck 6 Trays	225 W	220 V/50/60HZ	1395*965*1720	85-160	470
FTD-309G	3 Deck 9 Trays	225 W	220 V/50/60HZ	1750*965*1720	126-256	740
FTD-204G	2 Deck 4 Trays With Proffer	150W/	220 V/50/60HZ	1230x850x2090	57-114	320
FTD-102G	1 Deck 2 Trays With Proffer	75 W	220 V/50/60HZ	1340*900*1620	28-57	200

Features Gas

- Top & Bottom Temperature Controller
- High Efficiency Burner rate and Less Gas Consumption
- Auto Alarm
- Automatic Cutdown to keep the temperature constant
- Temperature upto 300°C





Planetary Mixer



Model	Power (Kw)	Voltage V	Volume (Litres)	Capacity (Kgs.)	Net Weight (Kg)	Speed	Dimensions (L*W*H)mm
B5	0.3	220	5	0.5	15	1080 R/M	350*230*400
B7	0.4	220	7	1	20	1080 R/M	390*270*450
B10	0.6	220	10	2	50	3 Speed	425*270*660
B20	0.8	220	20	5	70	3 Speed	540*430*780
B30	1.5	220	30	7	90	3 Speed	680*540*950
B40	2	220	40	10	180	3 Speed	680*540*1150
B60	2.2	380	60	24	290	3 Speed	1030*6200*1430

Spiral Mixer



Model	Power (Kw)	Voltage (V)	Volume (Ltrs.)	Max. Kneading Capacity	Net Weight (Kg)	Bowl Speed (R/M)	Mixing Speed (R/M)	Dimension (MM)
FSM -20	1	220	20	8	70	16	198	700*380*745
FSM -30	1.1	220/380	30	12	95	16	202	730*430*810
FSM -40	2.2	220/380	40	16	127	16	202	870*480*935
FSM -50	2.2	380	50	20	130	16	202	920*530*935
FSM -60	2.4	380	60	25	290	16	210	1010*682*1100
FSM -80	2.5	380	80	30	390	16	210	1122*682*1305
FSM -100	4.5	380	100	40	482	16	210	1160*650*1340

Dough Sheeter



Model	Power (Kw)	Voltage (V)	Dough Capacity (KG)	Weight (KG)	Belt Width (MM)	Dimension (MM)
FDS 520 BT	0.55kw/hr	220	5.5	190	520	700*2700*1100
FDS 400 BT	0.4kw/h	220	4	110	400	780*1690*590
FDS 520	0.55 Kw/h	220/380V/50hz	5.5	248	520	900*2700*1100
FDS 400	0.4kw/h	220/380V/50hz	4	180	400	760*2000*1040
FDS 630	1.1kw/hr	220/380V/50hz	6.5	258	630	1000*3100*1100

Dough Divider

Model :	FD36
Item :	Dough Divider
Voltage :	220 / 380/ 50Hz
Power :	0.75 kw
Weight : 180	180kg
Dimension :	410*520*1240MM
Range :	30-180g
Quantity :	36 PCS



Pizza Sheeter



Diameter of Pizza:	Max. 400 MM
Diameter of Upper:	Max. 270 MM
Power: 0.25 KW	0.25 KW
Voltage:	220V50HZ
Net Weight:	35 KG
Dimension:	650x500x570 MM



Dough Divider & Rounder



Model :	FD30 S
Item :	Dough Divider & Rounder
Voltage :	220 / 380/ 50Hz
Power :	0.75 kw
Weight : 180	290 kg
Dimensiom :	550*720*1350MM
Range :	30-100g
Quantity :	30 PCS



Bread Proffer



Conveyor Pizza oven



Model :	Power (Kw)	Voltage (V)	Temprature Range (c)	Net Weight (Kg)	Chamber Size (MM)	Dimension (MM)
CPO-12 E	5.8	220	0~500	45	560*360*70	1500*600*418
CPO-18 E	7.7	220	0~500	72	800*520*70	2028*760*430
CPO-12 G	0.1	220	0~500	52	560*360	1120x600x430Mm
CPO-18 G	0.2	220/50Hz	0~500	81	500*1450	1560*790*430Mm

Pizza Oven



Model :	Power (Kw)	Voltage (V)	Temprature Range (C)	Net Weight (Kg)	Tray Size (MM)	Dimension (MM)
FTP-11E	3.2	220/50Hz	0~350	30	400*600	930*630*400
FTP-22 E	6.4	220/50Hz	0~350	48	400*600	930*630*700
FTD-101G	0.075	220/50Hz	0~350	90	400*600	1080*680*650
FTD-102G	0.075	220/50Hz	0~350	170	400*600	1395*965*710

Bread slicer

Item	Bread Slicer	
Model	FTB -31	FTB -41
Voltage (V)	220/50HZ	220/50HZ
Power (Kw)	0.25	0.25
Dimension(MM):	650*660*760	650*660*760
Net Weight (Kg)	59	59
Bread Length (MM)	360	360
Blades Quantity :	31	41



Rotary Oven



Model	Power(HP)	Dimension(") inches(LxWxH)	Buns	Bread (400g)	Rusk	Cookies
FTR-24	1	60x46 x60	154 Pcs.	90 Pcs.	10 Kg	10 Kg
FTR-36	1	65x47x77	224 Pcs.	136 Pcs.	14 Kg	14 Kg
FTR-42	1	66x48 x86	284 Pcs.	158 Pcs.	16 Kg	16 Kg
FTR-72	1+1	62x64 x96	440 Pcs.	270 Pcs.	28 Kg	28 Kg
FTR-80	2+2	64x65 x102	510 Pcs.	300 Pcs.	32 Kg	32 Kg
FTR-120	2+2	68x70 x106	730 Pcs.	450 Pcs.	42 Kg	42 Kg



Meat Processing Equipment



- # Suitable for chopping vegetables, Fruits & Meats Products.
- # Comes with safety control-once open the cover the machine stops.
- # Bigger Models comes with wheels for easy portability.
- # Driven through an enclosed gear box.
- # The Blade are made of high quality stainless steel.
- # Perfect machine for chopping onions without getting the hands hurt.



Bowl Chopper



Model	Power(KW)	Voltage (V)	Capacity (Ltr.)	Production (Kg/Hr)	Dimension (MM)
BCM-5	0.37	220/50Hz	5	80	440*690*425
BCM-8	0.5	220/50Hz	8	10	530*425*540
BCM-20	1.1	220/380	20	130	775*710*940
BCM-30	2.2	380	30	320	990*810*980
BCM-50	2.8	380	40	450	1200*1000*1130

Sausage Filler



Hydraulic Sausage Filler

Model	Power	Bowl Dia	Production kg/hr	Litres	Dimension (MM)
MSF-3	Manual			3	300*340*570
MSF-5	Manual			5	300*340*690
MSF-7	Manual			7	300*340*830
MSF-10	Manual			10	300*340*880
HSF-15	0.55	200	280	15	600*400*1240
HSF-26	0.75	260	400	26	640*485*1240
HSF-35	1.1	320	520	35	730*560*1240

Meat Mincer



Model	Power (Kw)	Production (kg/hr)	Dimension (mm)
MK-12	0.65	80-100	450*295*450
MK-22	1.1	120-150	490*310*500
MK-32	1.5	220-300	735*415*620
MK-42	3	600-650	860*550*960

- 2 X Stainless steel cutting blade
- 2X Powder metal cutting plates
- 1 X Aluminum alloy meat tray and grinder head
- Compact size, no sharp corner, full stainless steel housing, food grade chopper, strict with international hygiene standard



Meat Slicer



Model	Power (Kw)	Diameter (mm)	Slicing Thickness (MM)
MS-195	0.1	195	0~12/14
MS-220	0.12	220	0~12/14
MS-250	0.18	250	0~12/14
MS-300	0.26	300	0~12/14

- Suitable for frozen meat.
- Stainless steel blade, more durable.
- Sharpener 0~12mm adjustable thickness.
- Sharpener 0~12mm adjustable thickness.
- With sharpener, which helps to use more convenient.
- It's ideal for small operations where space is at a premium.

Bone Saw Machine

- Suitable for all kinds of animal bones, frozen meat, fish bones, frozen fish, ice and other processing equipment.
- Stainless-steel sliding table is easy to clean and durable enough; Convenient sliding tray and High quality motor powers ensures toughest food proper cuts and maximum safety.

Model	Blade Diameter(mm)	Voltage (V)	Power (W)	Rotation (R/M)	Packing Size (Cm)
HR-210A	300	110-240	1100	50/60	57.5*55*96.5
HR-250	320		1500	50/60	57.5*55*96.5





Vaccum Tumbler



Model :	VT 25/VT50
Power :	200 W /370
Voltage :	220 V/220 v
Vaccum Pump:	90Watt/90 Watt
Capacity :	25kg/Batch /50kg
Dimension :	995*445*860mm/1180*460*1030mm
Weight :	40 kg

Patty Press

Pressor Diameter:	100mm
Machine Size:	300X310X360mm
Net Weight:	4.7KGS



Vegetable Cutter Machine



Model	Power (Kw)	Production	Body Types
VCM-1	0.25	70~90	Stainless Steel
VCM-2	0.36	100~120	Stainless Steel
VCM -3	0.75	150~180	SS & Aluminium Casting

Sausage Linker Machine



Brand :	Foodtech
Model :	FT-ST1
Pressure :	0.4-0.6MPA
Production :	60(Times/Min)
Diameter :	10-35mm
Dimension:	1150x480x750mm



Shawarma Machine



Model	Power (Kw)	Voltage (V)	Weight (Kg)	Dimension (mm)
ESM-3	4	220	25	580*650*760
ESM-4	6	220	31	580*650*950
GSM-2	-	220	33	700*650*780
GSM-3	-	220	38	730*640*920
GSM-4	-	220	41	535*610*950

Meat Mixer Machine

Model	Power(kw)	Voltage (V)	Production(Ltrs)	Weight (Kg)	Dimension (MM)
FT-MM35	0.75	220	35	136	700*510*1100
FT-MM50	1.1	220	50	152	820*510*1100
FT-MM70	1.5	220	70	178	850*500*1100





Vaccum Packing Machine



Model	DZ260	DZ400	DZ500
Chamber Size(mm)	385	400	500
Vacuum Power Pump(w)	370	750	950
Material Of Vacuum	Stainless Steel	Stainless Steel	Stainless Steel
Voltage (v)	220	220	220
Frequency(hz)	50/60	50/60	50/60
Production Cycle	1-2	1-2	1-2
Sealing Position	1	2	2
Weight (kg)	45	110	125
Dimension (MM)	570 × 440 × 460	540 × 480 × 1010	580 × 650 × 1010

Smoke Oven

Model :	FSH-04
Power :	1000W
Voltage :	220V
Temperature control:	30-135
Smoking Time:	0-2 hours
Layers :	4 layers
Net weight :	30kgs



- Small model smoking sausage machine, the capacity can reach 8kgs per time.
- This machine can smoking sausage, chicken and duck.
- Bits of wood smoking.
- With Timer & Contoller Analog

Fryer Electric & Gas



Model :	Power (kw)	Voltage (V)	Litres (Ltr.)	Dimension (mm)
FTF -6E	2.5	220/50hz	6	220*400*315
FTF -6*2E	2.5+ 2.5	220/50hz	6+6	435*400*315
FTF 101	3.5	220/50hz	10	288*480*325
FTF 102	3.5+3.5	220/50hz	10+10	570*480*325
FTF-8	3	220/50hz	8	314*533*433
FTF-8*2	3+3	220/50hz	8+8	605*533*433
FTF 121	4	220/50hz	12	316*555*382
FTF181	4.8	220/50hz	18	330*615*439
FT-HEF 261	10	380	26	425*830*1080
FT-HEF 262	20	380	26+26	800*830*1080
FTF -61G	CNG or LPG		6	290*520*445
FTF -62G	CNG or LPG		6+6	570x495x470
FT-GF181	LPG 2800		18	340*630*610
FT- GF182	LPG 2800		18 + 18	680X630X610
FT-GF181F	LPG 2800		18	345x585x1025
FT- GF182F	LPG 2800		18 + 18	690x585x1025

Softy Ice Cream Machine



Compressor:	Embraco
Condensor:	full copper condenser with two inlet connector for anti-shake
Motor:	famous motor applied by most factories in Taiwan
Gear box :	strong cast iron gear box with metal gears
Capillary :	full copper capillary
Hopper:	#304 stainless steel hopper without welding
Outside design:	painted in one color or full stainless steel

- Anti-break copper design inside.
- Anti-shake screw holder on side board.



Softy Ice Cream Machine



Model	Voltage(V)	Power (W)	Tank Capacity (L)	Output (Ltrs Per/Hour)	Weight (Kg)	Dimension (MM)
FT-SM11	220	2000	6L*2	28-30	95	520*720*830
FT-SM12	220	2500	6L*2	30-35	130	540*770*1380

Semi-Automatic Coffee Machine

Model	Power (Kw)	Voltage (V)	Boiler Volume	Weright (Kg)	Dimension(MM)
Coffee Grinder	0.35	220	10kg/hr	15	300*210*560
Single Groove	2.2	220	6L	47	460*490*450
Double Groove	3.7	220	11.5 L	67	700*490*450
Double Groove with Grinder	3.9	220	11.5 L	75	700*490*510



Coffee Grinder



Single Groove



Double Groove With Grinder



Double Groove



Commercial Blender



Model :	TM767
Motor :	3HP
Power :	1200W (peak 2238W) 220-240V 50-60Hz
Dimensions:	230mm x 205mm x 510mm
RPM:	23,000 to 38,000 RPM
Weight:	4.9kg
Jug Material:	Polycarbonate
Capacity:	2Ltr; heat resistant up to 120 Celsius

Model :	TM800aq
Moter :	3HP
Power :	1200W (peak 2238W) 220-240V 50-60Hz
Dimension :	510*280*305mm
RPM :	38000 RPM
Jug Material:	Polycarbonate
Capacity:	2Ltr; heat resistant up to 120 Celsius



Sandwich Griller



Model :	SG811
Power :	1.8 Kw
Voltage :	220 V
Temprature	50~300
Dimension :	310*310*200mm
Weight :	14.5kg

Model :	SG812
Power :	2.2 Kw
Voltage :	220 V
Temprature :	50~300
Dimension :	430*310*200mm
Weight :	20kg



Sandwich Griller



Model :	SG813
Power :	4.4 Kw
Voltage :	220 V
Temprature :	50~300
Dimension :	570*310*200mm
Weight :	28kg



Bun Toaster (HamBurger)



Model :	BT-05
Power :	2 Kw
Temperature :	0~300°C
Size:	420*390*260mm
weight:	12kg

Cotton Candy Table Top/ Standing





Popcorn Machine Table top/Standing



Crepe Maker



Induction Plate



Electric Plate Warmer



Chocolate Melter



Chocolate Fountain



Waffle Baker



Rotary Waffle Baker



Single Plate Waffle Baker



Double Plate Waffle Baker



Bubble Waffle



Single plate waffle Cone Maker



Double plate waffle Cone Maker



Waffle Maker



Lolly Waffle Maker



Hotdog Waffle Maker



PanCake Maker

Toaster



4 Slice Toaster



6 Slice Toaster



Conveyor Toaster Model 150/300

Griddle Plate




Gas Griddle Plate



Electric Griddle Plate



Gas Griddle Plate



Bain Marie Table Top



Food Warmer



2 Head Lamp Warmer



Deluxe Food Warmer



Premium Food Warmer



Juice Dispenser



Single Juice Dispenser



Double Jar Juice Dispenser



Triple Jar Juice Dispenser



Single Jar Slush Machine



Double Jar Slush Machine



Triple Jar Slush Machine



Centrifugal Juicer



Juicer



Sugar Cane Machine

Commercial Dishwasher



Hood Type Dishwasher

Conveyor Types Dishwasher



Under Counter Dishwasher





Sink Unit



Single Sink Unit



Double Sink Unit



Three Sink Unit

Gas Range



Single Burner Gas Range



Double Burner Gas Range



Three Burner Gas Range



Four Burner Gas Range



Stock Pot Gas Range



Chinese Burner Range

Gas Range



Gas Chapati Proffer



Chinese Single Burner Gas Range



SS Tandoor

Grinder



Wet Grinder



Tilting Wet Grinder



Spice Grinder



Dough Kneader Machine



Commercial Mixer Grinder



Gravy Machine





Kitchen Equipments



Boiler Or Steamer



Noodles Making Machine



Potato Peeler

SS Work Table



SS Pickup Counter



Bain Marie With Sneeze Guard



SS Tray Trolley



SS Storage Rack



SS Dinning Table



SS Trolley



Idli Stemaer



Momos Steamer



Chat With Golgappa Counter





Tea & Coffee Dispenser

Sweetcorn Counter



Imported Chicken Rotisserie

Chicken Rotisserie



Insect Killer



Cocktail Counter



Sugarcane Machine



Coolers & Freezers



Single Door Visi Cooler



Double Door Visi Cooler



Ice Cream Parlour



Chest Freezer



Display Counter Curve Glass



Display Counters



Display Showcase Round shape



Display Ciunter Stright Glass



Mini Fridge



Island Freezer



Display Counter Stright Glass



Blast Chiller/ Freezer



Wine Cooler



Wine Cooler



Ice cube Machine Large



Ice Cube Machine Small



2 Door Back Bar



Beer Dispenser & Tower

Coolers & Freezers



Ice Crusher



3 Door Backbar



SS Two Door Refrigerator/ Freezer



SS Water Cooler



SS Four door Refrigerator / Freezer



2 Door UnderCounter Chiller/ Freezer



3 Door UnderCounter Chiller/ Freezer



Ice Cream Roll Machine



Glass Door Undercounter Freezer



Ice Cream Roll Machine 2 Plate



Pizza Makeline / Preparation Counter



Soup Tureen



Water Boiler

Salamandar



Potato Twist Cutter



Food Chopper



Vegetable Cutter



Fine Mill Grinder



Softy Cone Machine



Semi-Automatic Chapati Machine



Our Valuable Clients






Deals In Brands



SERVICE & SUPPORT



FOODTECH INDUSTRIES

Plot No B-437, B Block, Vikas Vihar, Vikas
Nagar Uttam Nagar Delhi - 110059

+91-9311465199

+91-9821790903

FOODTECHINDUSTRIES61@GMAIL.COM

WWW.FOODTECHINDUSTRIES.IN